

COUNTRY	Germany (Soviet Zone)	SECURITY INFORMATION REPORT	50X1-HUM
TOPIC	Soviet Supply Installations at Burgstaedt and Markersdorf		
EVALUATION			
DATE OF CONTENT		50X1-HUM	
DATE OBTAINED		DATE PREPARED	29 May 1952
REFERENCES			
PAGES	2	ENCLOSURES (NO. & TYPE)	
REMARKS			
		50X1-HUM	

- In the night of 3 April 1952, about 350 debarked logs, 11 or 12 meters long, were trucked to, and stored in front of, Installation II at Burgstaedt.
- The following motor vehicles were observed at Installation I at Markersdorf:

Date in March	Type	Load	From	Toward	50X1-HUM
15	Ambulances		Direction of Burgstaedt		
16	Trucks	drums		Chemnitz	
18	Trucks	about 20 boxes each		Burgstaedt	
19	Trucks	about 20 boxes each		Chemnitz	
22	Trucks	boxes		Burgstaedt	
27	Trucks	automobile tires, drums and boxes		Burgstaedt	

During the period of observation, [redacted] the installation was occupied by 2 majors, about 15 other officers, and 110 EM who wore black-bordered red epaulets. Trucks [redacted] which shuttled almost daily to Installation I at Burgstaedt, belonged to the unit. On 27 March, a sedan stopped in front of the installation and departed later toward Burgstaedt with a colonel, a lieutenant colonel and a captain riding in it. On 3 April, a sedan with four field officers arrived from the direction of Burgstaedt. A short time later, the sedan left the installation toward Burgstaedt.

- On 17 March, trucks [redacted] loaded with about 60 boxes, arrived in front of Installation II at Markersdorf. The trucks came from the direction of Burgstaedt. The installation was occupied by about 3 officers and 60 EM who wore black-bordered red epaulets.

*




CLASSIFICATION SECRET/CONTROL/US OFFICIALS ONLY

SECRET/CONTROL/US OFFICIALS ONLY
SECURITY INFORMATION



50X1-HUM

- 2 -

* Comment. The installations are supply installations of the
Eighth US Army and are known from a previous report. 
. The logs were supplied to the signal equipment depot.
The medical equipment depot at Markersdorf (Installation II) has
 as was previously believed. The statements
on the occupation strength are credible.

50X1-HUM

50X1-HUM

50X1-HUM

50X1-HUM

SECRET/CONTROL/US OFFICIALS ONLY
SECURITY INFORMATION